

Tricho-Mite

Moth Egg Parasite

Description

Trichogramma wasps specialize in parasitizing lepidopteran (moth and butterfly) eggs. The adults are tiny, measuring less than 1 mm. After mating, females actively seek lepidopteran eggs and lay their eggs inside. The trichogramma larvae develop and feed on the pest embryo. They will cancel the next generation of moths.



Life cycle

- Optimal conditions are a temperature between 18 to 30 ° C and a humidity relative de 50 to 80%.
- Once the card is installed, the trichogramma will emerge after 5 to 10 days, depending on the temperature.
- A female can lay 50 eggs over a period of several days.
- The eggs parasitized by Trichogramma turn black after 4-6 days. New adults emerge 3-6 days depending on ambient temperature.



Introduction rate

Introduction	Quantity	Surface	Frequency	Duration
General	1 card	per 25 m ²	per week	For minimum 8 weeks

Introduction rates may vary in case of commercial infestation. Contact us at 1800-305-7714.

Using Tricho-Mite

A few days before the arrival of the cards, clean the infested places. Wash clothes and insulate them in airtight bags until the end of treatment.

In floor moth case, examine dry foods (flour, cereals, nuts, animal food, seeds, etc). If possible, place them in the freezer for 48 hours. Then place them in a large sealed bag to protect them during treatment.

Place Tricho-mite cards in infested areas. Introduce new cards every week. The minimum duration of treatment is 8 weeks, but it can be extended if the mite populations is very important.

Keep each card in place for 3 weeks. **Do not open the cards.**




Commercial formats

A0016 - Tricho-mite Kit - 32 cards of 4000 pupae

A0017 - Tricho-mite - 1 card of 4000 pupae


Instructions

1




Hold the cards at the edges.

2



Clean the areas to treat. Place directly at the source of the infestation (e.g. pantry, cupboard, etc.) and the surrounding area.

3



Use 4 cards per week for a period of 8 weeks. Unused cards must be placed in the refrigerator. The treatment can be prolonged if the infestation is significant.

Do not freeze • Refrigerated for up to 8 weeks